**Part Number :** 2037023000

Product Description : FineAdjust Applicator for Nano-Fit Wire-to-Wire Plug Terminals, 20-22 AWG UL1061 and 22 AWG UL1007 Wires

Series Number : 207127

Status : Active

Product Category : Applicators and Crimp Modules

Documents & Resources

Tooling Specifications

Application Tooling Specification 2037023000-000.pdf
Commercial Crimp Book TM-638000029-001.pdf
Tooling Manual TM-638004900-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Reviewed per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Not Reviewed per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS

- REACH SVHC

- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D

- Molex Product Compliance Declaration

- IEC-62474

- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Applicators and Crimp Modules
Series	207127
Description	FineAdjust Applicator for Nano-Fit Wire-to-Wire Plug Terminals, 20-22 AWG UL1061 and 22 AWG UL1007 Wires
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Automatic, Semi-Automatic
More Detailed Tech Information	toolingsupport@molex.com
Product Family	Application Tooling
Product Name	FineAdjust,Nano-Fit
Tool Type	Applicator
UPC	193264302666
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Physical

Net Weight	5000.000/g